



In the United States Patent and Trademark Office

Serial Number: 10/603,267
Appn. Filed: 23 June, 2003
Applicant: Kollar, Fredrick Phillip
Appn. Title: Sprinkler Spray Shield
Examiner/GAU: Seth Barney/3752

Mailed: 11 October, 2005
At: Laguna Hills, CA.

Submission of Corrected Drawings

Commissioner for Patents
Washington, District of Columbia 20231
Attn: Chief Draftsperson

Sir:

New drawing sheets (Pgs. 1 – 4 incl. Figs. 1 - 12) for the above application are enclosed, corrected as necessary. Please substitute these for the corresponding sheets on file.

Very respectfully,

Fredrick P. Kollar

38 Oxbow Creek Ln.
Laguna Hills, CA. 92653
Tel. (949) 855-4964

Certificate Of Mailing: I certify that on the date below this document and referenced attachments, if any, will be deposited with the U.S. Postal Service as first class mail in an envelope addressed to:
U.S. DEPARTMENT OF COMMERCE, COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA,
VA. 22313-1450

11 October, 2005

Fredrick P. Kollar, Applicant



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/603,267	06/23/2003	Fredrick Phillip Kollar	Kollar - Tunaman	7163

7590

01/10/2006

Fredrick Phillip Kollar
38 Oxbow Creek Lane
Laguna Hills, CA 92653

EXAMINER

BARNEY, SETH E

ART UNIT

PAPER NUMBER

3752

DATE MAILED: 01/10/2006



Please find below and/or attached an Office communication concerning this application or proceeding.